

# Kodiak® Composite Decking & Railing from Deceuninck®



## Designed for Comfort and Engineered for Strength

Available in Chestnut, Cedar, New England Grey and Teak, Kodiak® composite decking and railing features a natural, wood-grain finish with consistent color throughout, allowing you to cut, router and install it like wood. Our optional hidden fastener system enables quick installation, ensuring uniform spacing of the deck boards while eliminating unsightly screw heads. A Kodiak composite deck offers a warm, barefoot-friendly surface, free of dangerous nail pops or splinters.

Deceuninck® has engineered Kodiak Composite Decking with performance in mind. Kodiak Composite Decking holds up to whatever the environment throws at it. Kodiak Composite Decking's superior weathering characteristics, compared to similar competitive products, provide for years of enjoyment without the worry of periodic refinishing. Kodiak Composite Decking also resists water, mold and insect damage; it's backed by a 30-year warranty for your peace of mind.

The colors, comfort and durability homeowners want. The design flexibility and performance your projects demand. The solutions you need to build a better deck—supported by a company with 70 years of industry experience and a commitment to better living.

Innovating solutions for  
the environments of your life.™

**deceuninck®**

# Specifications

## Colors

Our color palette includes four popular colors:



**CHESTNUT**  
(221)



**CEDAR**  
(220)



**NEW ENGLAND GREY**  
(239)




**TEAK**  
(241)

## Architect's Specifications

PROPERTY	TEST METHOD	RESULT
Modulus of Rupture	ASTM 4761	> 1700 psi
Modulus of Elasticity	ASTM 4761	> 530,000 psi
Coefficient of Linear Exp.	ASTM D696	< 2.0 x 10 <sup>-5</sup>
Slip Resistance (Dry)	ASTM F1679	> 5
Slip Resistance (Wet)	ASTM F1679	> 5
Nail Withdrawal	ASTM D1761	> 300 lbs./in.
Screw Withdrawal	ASTM D1761	> 1,300 lbs./in. <sup>2</sup>
Hardness	ASTM D143	Flame Spread - 60
Flame Spread Index	ASTM E84	Smoke Developed - 200
Fire Rating		Class II or B

**Code Compliance:** Meets ICC AC-174 requirements  
Report ESR 1425

## Stronger than the Competition




\*All colors are mechanically reproduced. They may vary from the actual product. Please refer to the actual product sample for true sample representation.

# Available Products

## 5/4" x 6" Deck Plank (16" OC)


Actual dimension: 7/8" x 5-1/2"  
 Finish: Woodgrain  
 48 pieces/bundle  
 Product Code: 10003913



Length: 12'	Length: 16'	Length: 20'
Weight: 1,521 lbs./bundle	Weight: 2,003 lbs./bundle	Weight: 2,485 lbs./bundle

## 5/8" x 10" Fascia Board

Actual dimension: 5/8" x 10"  
 Finish: Textured  
 24 pieces/bundle  
 Product Code: 10003937



Length: 12'  
 Weight: 998 lbs./bundle

## 5/4" x 6" Hidden Fastener Deck Plank (16" OC)


Actual dimension: 7/8" x 5-1/2"  
 Finish: Woodgrain  
 48 pieces/bundle  
 Product Code: 10003909



Length: 12'	Length: 16'	Length: 20'
Weight: 1,469 lbs./bundle	Weight: 1,933 lbs./bundle	Weight: 2,398 lbs./bundle

## 4" x 4" Post Cover


ID: 4" x 4"  
 Finish: Textured  
 18 pieces/bundle  
 Product Code: 10003929



Length: 9-1/2"  
 Weight: 650 lbs./bundle

## Hidden Fastener Deck System Biscuits


Color: Black only  
 Includes biscuits, stainless steel screws with black painted top and choice of star or square premium drive bit.



180 pieces/carton	540 pieces/bucket
Installs 100 sq. ft. at 16" OC	Installs 300 sq. ft. at 16" OC
Product Code: 113103412357000	Product Code: 113103412358000

## Post Cap


Actual dimension: 5-1/4" x 5-1/4"  
 Finish: Textured  
 36 pieces/carton  
 Product Code: 11310033



Weight: 42 lbs./carton

## 2" x 6" Deck Plank (24" OC)

Actual dimension: 1-1/4" x 5-1/2"  
 Finish: Woodgrain  
 35 pieces/bundle  
 Product Code: 10003903



Length: 12'	Length: 16'
Weight: 1,617 lbs./bundle	Weight: 2,131 lbs./bundle

## 4" x 4" Post Skirt


ID: 4-3/4" OD: 6-3/8"  
 Finish: Textured  
 48 pieces/carton  
 Product Code: 11310335



Weight: 21 lbs./carton

## 2" x 4" Rail


Actual dimension: 1-1/2" x 3-1/2"  
 Finish: Textured  
 48 pieces/bundle  
 Product Code: 10003925



Length: 12'	Length: 16'
Weight: 1,679 lbs./bundle	Weight: 2,214 lbs./bundle

## 2" x 2" Baluster

Actual dimension: 1-3/8" x 1-3/8"  
 Finish: Textured  
 80 pieces/bundle  
 Product Code: 10003926



Length: 36"	Length: 42"	Length: 12'
Weight: 288 lbs./bundle	Weight: 329 lbs./bundle	Weight: 1,013 lbs./bundle

# The TOP 6 Reasons to Choose Kodiak®



## Precision in every plank

Save time sorting through lumber and reduce on-the-job aggravation. Kodiak deck planks offer unsurpassed flatness, straightness and dimensions for easy, consistent installation—every time.



## Engineered to exacting standards

Deceuninck has established tight controls on the raw materials; then we use a precision process to fully coat the wood fiber with polymer before planks are formed. This attention to detail ensures a uniform product offering exceptional protection against mold, mildew and decay.



## Works like wood, only better

Router, miter, cut and fasten Kodiak composite decking and railing just like wood, then enjoy the fact that your job is complete—without additional staining or painting. Plus, our composite decking is engineered for high plank strength for a more solid underfoot surface than wood.



## Hidden fasteners speed installation

Our optional hidden fastener system allows for 30 percent quicker installation, providing uniform spacing of the deck planks. The system eliminates unsightly screw heads and ensures that the deck is free of dangerous nail pops.




## Eco-friendly option for green-conscious consumers

Made with 100% recycled pine wood fiber encapsulated in High Density Polyethylene, Kodiak composite decking and railing has a much longer lifespan than wood. And because the color is encapsulated throughout and resistant to weathering, homeowners conserve resources and eliminate the negative environmental impact of stains and other chemicals used to maintain a wood deck.



## It's better because it's Deceuninck

Kodiak composite decking and railing features a 30-year warranty against rotting, rusting, cracking, warping, pitting, corroding, peeling, blistering or insect damage—supported by Deceuninck's reputation as a company dedicated to advanced technology, superior engineering and exceptional product support for over 70 years.



For more information, visit [www.kodiakbuildingproducts.com](http://www.kodiakbuildingproducts.com), call 1.877.563.4251 or e-mail [info@decna.biz](mailto:info@decna.biz).



The name and logo of Deceuninck NV, of its affiliated companies and of the products and services manufactured by them, are trademarks and trade names protected by national and international laws. Kodiak® is a registered trademark of Deceuninck North America.

© 2009 Deceuninck North America. All rights reserved. Part No. KOD-101 0409

**deceuninck®**