



IMPACT
PRODUCTS

WHEREVER STORMS
ROLL IN, DECEUNINCK
STANDS STRONG.

IMPACT

PRODUCTS



Storm force winds can occur in any region of the the country. That's why Deceuninck Impact Products are engineered to perform to some of the toughest weather-related standards in the nation, providing safety, strength, and peace of mind...

anywhere you call home.

High impact protection. High impact style.

Just because you need the protection of the best impact products in the industry, doesn't mean you shouldn't also get the good looks and great style that is always part of a Deceuninck solution. And our impact windows and doors give you both.

It starts with exceptional architectural designs, colors, finishes and contours that put great looks out front in your home.

And then it packs in performance to stand up to high winds and water infiltration.

Deceuninck can help minimize your risk with impact window and door solutions, engineered to meet coastal building code requirements up to and including the specifications of ASTM E 1886/1996, Wind Zone 4 or Miami Dade 201, 202, 203 with an AAMA DP rating of up to 70.

Plus Deceuninck adds innovative touches that make our windows and doors a standout in every environment.

Features found on Deceuninck Impact Products include:

- **Patented sash to frame interlock to help keep sash secure in high wind conditions**
- **Heavy duty, integral double wall "Florida flange" to accommodate block installations**
- **Integral nailing flange and masonry clip receiver for installation flexibility**
- **Pocket or sloped sill configurations for single hung windows for multiple architectural applications**



Performance by the Numbers

Deceuninck's AAMA-certified product line includes single and double hung windows, casement, horizontal slider and picture window systems, as well as sliding patio door systems.

Deceuninck hurricane-resistant windows and doors:

- **Are performance-tested under ASTM E 1886/1996, Wind Zone 4, large missile impact standards. Premium single hung and Revolution™ windows are scheduled for testing in 2012.**
- **Meet or exceed AAMA requirements.**
- **Made of maintenance-free, limited lifetime warranted SunShield® vinyl compound and features Solex® laminated finishes**
- **Designed to accommodate various reinforcement options including Innergy™ Rigid Thermal Reinforcements**
- **Glazing configurations accommodate various glazing options (including low E and turtle glass) in impact rated insulated glass units up to 1 1/8"**
- **3/4" balance pockets on single and double hung products provide room for heavy duty hardware to accommodate heavy glass packages**
- **High performance impact designs help provide improved break-in resistance over standard window systems**



IMPACT

PRODUCTS MATRIX

	Performance Class	Size	IG Unit	DP
Single Hung	Standard Standard	48" X 72" with Nail Fin 54" X 72" with Flange	3/4" Overall .090 PVB Interlayer	50
	High Performance High Performance	54" X 77" with Nail Fin 54" X 77" with Flange	1" Overall .090 PVB Interlayer	70
Double Hung	High Performance High Performance	48" X 72" with Flange 54" X 77" with Flange	1" Overall .090 PVB Interlayer	65
Casement	Standard	37" X 76" with Nail Fin or Flange	3/4" Overall .070 Composite Interlayer	65
Picture Window	High Performance	64" X 84" with Nail Fin or Flange	3/4" Overall .188 .075 Composite Interlayer	50
	High Performance	50" X 63" with Nail Fin or Flange	1" Overall .090 PVB Interlayer	70
	Standard	50" X 63" with Nail Fin or Flange	3/4" Overall .090 PVB Interlayer	50
Horizontal Slider	High Performance	72" X 60" with Nail Fin or Flange	1" Overall .090 PVB Interlayer	65
Single Slider	High Performance	72" X 60" with Nail Fin or Flange	1" Overall .090 PVB Interlayer	70
Sliding Patio Door	High Performance	16'0" X 8'0" with and without Nail Fin	1" Overall .090 PVB Interlayer	50

For more information, call 877-563-4251 or email support@deceuninck-info.com



The name and logo of Deceuninck, of its affiliated companies and of the products and services manufactured by them, are trademarks and trade names protected by national and international laws.

©2012 Deceuninck North America. All rights reserved

Part No. FEN-113-0112



www.deceuninck-americas.com

